

**SOFT
ORIGINAL
INTERIOR
FILM**

www.samsungfilm.co.kr

SOIF
G L O B A L

**Decorative
Architectural
Film**

vol 5

(주)삼성인테리어필름

INDEX

S series		
SG/SF B1	91	
SG/SF 09	89	
SG/SF 10	90	
SG 12	86	
SG/SF 20	89	
SG 23	91	
SG 26	91	
SG 28	91	
SG/SF 29	88	
SG/SF 30	87	
SG/SF 31	91	
SG/SF 36	92	
SG/SF 37	87	
SG/SF 40	87	
SG/SF 43	89	
SG/SF 44	91	
SG/SF 51	9	
SG/SF 52	92	
SG/SF 53	9	
SG/SF 54	88	
SG/SF 55	88	
SG 56	90	
SG/SF 58	90	
SG 61	92	
SG/SF 72	9	
SG/SF 81	86	
SG/SF 82	87	
SG/SF 84	9	
SG/SF 86	8	
SG/SF 87	8	
SG/SF 89	91	
SG/SF 91	8	
SG/SF 92	9	
SG/SF 93	9	
SG/SF 94	9	
SG/SF 96	8	
SG/SF 97	8	
SG 98	89	
SG/SF 101	91	
SG/SF 102	8	
SG/SF 104	9	
SG/SF 105	9	
SG/SF 106	8	
SG/SF 107	8	
SG/SF 109	9	
SG/SF 110	9	
SG 111	8	
SG/SF 113	8	
SG/SF 114	8	
SG/SF 115	9	
SG/SF 119	8	
SG/SF 120	8	
SG/SF 121	8	

S series		
SG/SF 122	8	
SG/SF 128	8	
SG/SF 134	8	
SG 140	87	
SG 141	89	
SG/SF 142	86	
SG 143	87	
SG/SF 148	90	
SG/SF 149	91	
SG/SF 153	9	
SG/SF 164	92	
SG/SF 165	9	
SG/SF 166	9	
SG/SF 167	89	
SG/SF 169	90	
SG/SF 170	90	
SG 171	87	
SG/SF 177	89	
SG/SF 178	86	
SG/SF 179	86	
SG/SF 181	89	
SG/SF 186	90	
SG/SF 189	89	
SG/SF 190	90	
SG 209	86	
SG 211	86	
SG 230	92	
SG/SF 237	90	
SG/SF 243	92	
SG/SF 249	88	
SG/SF 251	90	
SG/SF 270	9	
SG/SF 278	92	
SG/SF 282	88	
SG 294	9	
SG/SF 314	9	
SG/SF 315	9	
SG/SF 361	86	
SG/SF 363	90	
SG/SF 381	90	
SG/SF 383	91	
SG 385	87	
SG 855	61	
SG/SF 1100	86	
SG/SF 1101	89	
SG/SF 1102	88	
SG/SF 1103	91	
SG/SF 1107	86	
SG/SF 1109	92	
SG/SF 1110	86	
SG/SF 1111	87	
SG/SF 1112	87	
SG/SF 1113	86	

S series		
SG/SF 1114	89	
SG 1115	87	
SG 1116	87	
SG 1118	89	
SG/SF 1122	14	
SG/SF 1123	14	
SG 1124	14	
SG/SF 1125	15	
SG/SF 1126	15	
SG/SF 1127	15	
SG/SF 1128	8	
SG/SF 1129	14	
SG/SF 1130	15	
SG/SF 1131	15	
SG/SF 1132	15	
SG/SF 1133	15	
SG/SF 1134	9	
SG/SF 1135	8	
SG/SF 1136	9	
SG/SF 1137	9	
SG/SF 1138	9	
SG/SF 1139	15	
SG/SF 1140	15	
SG/SF 1143	91	
SG/SF 1150	14	
SG/SF 1153	14	
SG/SF 1157	15	
SG/SF 1158	15	
SG/SF 1160	14	
SG/SF 1161	14	
SG/SF 1162	14	
SG/SF 1163	14	
SG/SF 1164	14	
SG/SF 1167	14	
SG/SF 1168	14	
SG/SF 1169	15	
SG/SF 1171	14	
SG/SF 1172	15	
SG/SF 1173	15	
SG/SF 1175	15	
SG/SF 1176	15	
SG 1182	9	
SG 1186	9	
SG/SF 1188	9	
SG/SF 1191	9	
SG/SF 1192	9	
SG/SF 1193	9	
SG/SF 1194	9	
SG/SF 1196	8	
SG/SF 1197	8	
SG/SF 1198	8	
SG/SF 1199	8	
SG/SF 1201	8	

S series		
SG/SF 1202	14	

M series		
MG 50	13	
MG/MF 123	54	
MG 124	54	
MG/MF 125	54	
MG/MF 325	9	
MG 445	63	
MG 446	63	
MG/MF 448	54	
MG 451	60	
MG/MF 452	66	
MG/MF 453	66	
MG/MF 454	66	
MG/MF 455	66	
MG 460	67	
MG 462	60	
MG 466	13	
MG/MF 485	61	
MG 496	13	
MG 498	54	
MG 499	54	
MG/MF 984	61	
MG 985	61	
MG/MF 986	61	
MG/MF 3001	60	
MG 3003	60	
MG 3005	80	
MG 3006	80	
MG/MF 3007	80	
MG 3021	54	
MG 3022	54	
MG/MF 3026	14	
MG/MF 3027	14	
MG/MF 3028	15	
MG/MF 3029	15	
MG 3030	15	
MG 3032	14	
MG/MF 3033	15	
MG/MF 3034	15	
MG/MF 3050	13	
MG 3051	13	
MG/MF 3054	62	
MG 3058	60	
MG/MF 3060	66	
MG/MF 3061	66	
MG/MF 3062	66	
MG/MF 3064	80	
MG/MF 3065	80	
MG/MF 3066	80	
MG/MF 3069	80	

M series		
MG/MF 3071	12	
MG/MF 3073	12	
MG/MF 3074	14	
MG/MF 3075	14	
MG/MF 3076	14	
MG/MF 3077	14	
MG/MF 3079	15	
MG/MF 3080	59	
MG/MF 3081	59	
MG/MF 3082	59	
MG 3083	59	
MG/MF 3084	80	
MG/MF 3085	59	

N series		
NG/NF 03	84	
NG 158	82	
NG/NF 207	83	
NG 217	82	
NG 218	82	
NG/NF 225	83	
NG/NF 227	83	
NG/NF 250	82	
NG 253	84	
NG 256	84	
NG 267	85	
NG/NF 284	83	
NG/NF 326	82	
NG/NF 336	83	
NG/NF 349	83	
NG/NF 388	83	
NG/NF 400	85	
NG 402	82	
NG 493	85	
NG 960	85	
NG 962	85	
NG 968	61	
NG 971	83	
NG/NF 2001	82	
NG 2006	82	
NG 2010	82	
NG 2017	14	
NG/NF 2018	15	
NG 2019	15	
NG/NF 2020	83	
NG/NF 2021	84	
NG/NF 2022	84	
NG 2024	84	
NG/NF 2026	12	
NG 2028	12	
NG/NF 2029	12	
NG/NF 2030	12	

N series		
NG/NF 2031	12	
NG/NF 2033	9	
NG/NF 2034	9	
NG/NF 2035	9	
NG/NF 2036	9	
NG/NF 2037	7	
NG/NF 2038	7	
NG/NF 2039	7	
NG/NF 2040	7	
NG/NF 2041	7	
NG/NF 2042	7	

Z series		
ZG/ZF 5000	78	
ZG 5003	78	
ZG/ZF 5009	78	
ZG/ZF 5010	78	
ZG 5011	78	
ZG/ZF 5012	78	
ZG/ZF 5015	78	
ZG/ZF 5016	78	
ZG/ZF 5018	77	
ZG/ZF 5019	77	
ZG/ZF 5020	77	
ZG/ZF 5021	77	
ZG/ZF 5022	77	
ZG 5027	77	
ZG/ZF 5028	69	
ZG/ZF 5029	69	
ZG/ZF 5030	69	
ZG/ZF 5031	76	
ZG/ZF 5032	76	
ZG/ZF 5033	72	
ZG/ZF 5034	72	
ZG/ZF 5035	72	
ZG/ZF 5036	76	
ZG/ZF 5037	76	
ZG/ZF 5038	70	
ZG/ZF 5039	70	
ZG/ZF 5040	70	
ZG/ZF 5041	75	
ZG/ZF 5042	75	
ZG/ZF 5043	75	
ZG/ZF 5044	75	
ZG/ZF 5045	74	

Y series		
YG 4500	58	
YG/YF 4501	58	
YG/YF 4502	58	
YG/YF 4503	57	

C series		
CG/CF 5500	29	
CG/CF 5501	29	
CG/CF 5502	29	
CG/CF 5503	24	
CG/CF 5504	24	
CG/CF 5505	24	
CG/CF 5506	26	
CG/CF 5507	26	
CG/CF 5508	32	
CG/CF 5509	32	
CG/CF 5510	30	
CG/CF 5511	30	
CG/CF 5512	30	
CG/CF 5513	31	
CG/CF 5514	31	
CG/CF 5515	31	
CG/CF 5516	28	
CG/CF 5517	28	
CG/CF 5518	28	
CG/CF 5519	35	
CG/CF 5520	34	
CG/CF 5521	34	
CG/CF 5522	35	
CG/CF 5523	44	
CG/CF 5524	44	
CG/CF 5525	44	
CG/CF 5526	43	
CG/CF 5527	43	
CG/CF 5528	43	
CG/CF 5529	41	
CG/CF 5530	41	
CG/CF 5531	41	
CG/CF 5532	27	
CG/CF 5533	27	

X series		
XG/XF 7011	49	
XG/XF 7012	49	
XG/XF 7013	49	
XG/XF 7014	48	
XG/XF 7015	48	
XG/XF 7016	53	
XG/XF 7017	53	
XG/XF 7018	53	
XG/XF 7019	51	

SC/SE/SP series		
SC 725	67	
SC 774	67	
SE 806	67	
SP 840	67	

INDEX

series	
0 NEW	52
NEW	52
2 NEW	52
3 NEW	52
4 NEW	51
5 NEW	52
5 NEW	19
7 NEW	19
8 NEW	20
9 NEW	20
NEW	22
NEW	22
2 NEW	18
3 NEW	17
4 NEW	18
5 NEW	40
5 NEW	40
7 NEW	37
8 NEW	37
9 NEW	37
0 NEW	38
NEW	38
2 NEW	39
3 NEW	39

series	
	9
	67
	62
	13
	14
	55
	66
	55
	55
	59
	61
	67
○	10
●	11
●	11
●	11
●	11
●	11
○	11
NEW ○	10
NEW ○	10
NEW ●	10
NEW ●	10
NEW ○	10

B	
BG	8000
BG	8001
BG	8003
BG	8004
BG	8006
BG	8007

AB	
AB	3800
AB	3801
AB	3802
AB	3803
AB	3804

D	
DG	3500
DG	3501
DG	3502
DG	3503
DG	3504
DG/DF	3505
DG/DF	3506
DG/DF	3507
DG/DF	3508
DG/DF	3509

P	
PG	904
PG	940
PG	6010

J	
JG	698
JG/JF 9000	N
JG/JF 9001	N

E	
EG/EF 6100	N
EG/EF 6101	N

가장 완벽한 MATT FINISH

다양한 디자인 표현에 감성과 기능을 더한
더 완벽해진 매트코팅

"Premium Matt"

NON-SCRATCH 기능을 추가로
내구성을 높이며 기존 인테리어필름과
차별된 또 다른 감성을 선보입니다.

Blackened Steel (Bronze)

NEW JG/JF 9001 ●●

ECO FRIENDLY SOIF

친환경 소이프

소이프 인테리어 필름은 각종 테스트를 통과한 최우수 등급의 친환경적인 표면 마감자재입니다.
자연스럽고 다양한 디자인 표현 뿐 아니라, 고객의 건강과 안전을 위해 언제나 최선을 다하고 있습니다.

Samsung Film is an eco-friendly surface finish material that has passed various tests. Its natural composition, along with our wide range of designs, makes us the leading provider in Eco Friendly, Sustainable Film.

우수한 방염성능 & 안정성 (Excellent Fire retardant performance & safety)



소방산업기술원의 엄격한 방염검사를 통과한 제품입니다. 우수한 방염성능과 안정성으로 고객의 생명과 재산을 보호합니다.

This product has passed the strict fire retardant test of the Fire Industry Institute of Technology. (Korea) Excellent fire retardant performance and stability protects you and your property.



스페인 방염 & 친환경 인증 (Fire retardant & Eco-Certified from Spain)

스페인 건축자재관련 화재 및 친환경 관련 인증입니다. 가스유해성, 포름알데히드 및 친환경 건축자재 시험을 실시하여 안전함을 검증받았습니다. (ENAC 인증번호 2019AN3043)

It is a fire and eco-friendly certification related to Spain Building Materials. Gas-free, formaldehyde and eco-friendly building materials tested and verified for safety. (ENAC Verification Number 2019AN3043)



실내건축자재 시험적합 확인제품 (INDOOR BUILDING MATERIALS TESTED)

실내용 건축자재는 적용 환경기준 적합 여부에 부합하는 제품에 부여됩니다. (포름알데히드, 톨루엔 및 휘발성 유기화합물 TVOC 등 3종의 배출량을 시험하여 적합성을 확인합니다.)

Building materials for indoor use is granted. (Formaldehyde, toluene and volatile organic compounds TVOC, etc. Test three kinds of emissions to determine their suitability.)



경기도 유망중소기업 선정 (Selected as a Promising Enterprise in South Korea)

20여년 넘게 지역사회와 사회발전을 위한 동반자로 상생도모하며 지속가능 경영 유지 (삼성필름의 임직원은 지역사회 인원으로 유지 발전되고 있습니다.)

For more than 20 years, we have been a companion for community and social development. Maintaining sustainable management, we understand our most valuable assets are our people, that's why we have focused heavily on development and maintenance programs for our employees.



자체 디자인 개발 및 고유패턴의 디자인 보유 (BESPOKE LANTERN DESIGNS)

삼성필름은 자체 디자인 개발 및 고유패턴의 디자인 보유로 2020년 기술평가 우수기업으로 인증 받았습니다.

Samsung Film has developed its own design and has a unique lantern design. In 2020, we were certified as an excellent company in technology evaluation.



항균 안전 솔루션 (Anti bacterial safety solutions)

SOIF 항균 안전 솔루션 (Solution) 으로 보다 쾌적하고 안전한 공간연출 가능 (항균성능 인증 SOIF ANTI BACTERIA 로고적용 제품군을 확인하세요.)

A more comfortable and safe space with a SOIF antimicrobial safety solution can be directed (check out the Soif Anti bacteria logo family, which is certified for antimicrobial performance)

CONTENTS

SOLID

PASTEL COLORS_7p BASIC SOLID_8p TRENDY SOLID/TEXTURE_9p SOFT MATT_10p
EMBOSS PATTERN_12p PEARL WOOD_13p PAINTED WOOD_14p

PREMIUM MATT

PREMIUM WOOD_17p PREMIUM STONE_37p PREMIUM FABRIC_43p PREMIUM METAL_47p

METAL

PEARLESCENT METAL_51p HAIR LINE BRONZE METAL_53p METAL_54p

STONE & MARBLE

STONE_57p MARBLE_62p

FABRIC & LEATHER

FABRIC_65p LEATHER_67p

WOOD

MULTI PRINTING WOOD_69p M SERIES_80p N SERIES_82p S SERIES_86p

OTHERS

VERSA-TILE_95p ANTI BACTERIA_98p

SOLID

Simple but modern, it's a colorful solid for the space. From basic solids with color, embossed products with new embosses in a variety of color, to changes in the painted range for a more diverse blend of color. SOIF solids are now enriched by new colors and ranges.




PASTEL COLORS


Fire Retardant ● | Standard Range ● | NEW NEW




NEW NG/NF 2038 ●●
Pale yellow



NEW NG/NF 2037 ●●
Mint green




NEW NG/NF 2039 ●●
Lilac



NEW NG/NF 2040 ●●
Baby pink



NEW NG/NF 2042 ●●
Racing green




NEW NG/NF 2041 ●●
Baby blue


Pastels and pastel tones can be a beautiful addition to any space and are especially gorgeous when used together. Beyond the noise, get ready for a world where pastels are the most stylish palette in town.

SOLID
BASIC SOLID


방염 ● | 비방염 ● | 신제품 NEW



SG/SF 122 ●●




SG/SF 1196 ●●




SG/SF 1197 ●●




SG/SF 91 ●●



SG/SF 113 ●●




SG/SF 1201 ●●




SG/SF 1198 ●●



SG/SF 1199 ●●



SG/SF 121 ●●




SG/SF 128 ●●




SG/SF 1135 ●●



SG/SF 134 ●●



SG/SF 120 ●●



SG/SF 97 ●●




SG/SF 114 ●●



SG/SF 107 ●●




SG 111 ●



SG/SF 106 ●●



SG/SF 102 ●●



SG/SF 96 ●●




SG/SF 86 ●●



SG/SF 1128 ●●



SG/SF 119 ●●



SG/SF 87 ●●

SOLID
BASIC SOLID



SG/SF 72



SG/SF 110



SG/SF 92



SG/SF 84



SG/SF 1192
















SG/SF 1138





SOLID
BASIC SOLID

방염 ● | 비방염 ● | 신제품 NEW




			
SG/SF 122 ●●	SG/SF 1196 ●●	SG/SF 1197 ●●	SG/SF 91 ●●
			
SG/SF 113 ●●	SG/SF 1201 ●●	SG/SF 1198 ●●	SG/SF 1199 ●●
			
SG/SF 121 ●●	SG/SF 128 ●●	SG/SF 1135 ●●	SG/SF 134 ●●
			
SG/SF 120 ●●	SG/SF 97 ●●	SG/SF 114 ●●	SG/SF 107 ●●
			
SG 111 ●	SG/SF 106 ●●	SG/SF 102 ●●	SG/SF 96 ●●
			
SG/SF 86 ●●	SG/SF 1128 ●●	SG/SF 119 ●●	SG/SF 87 ●●

SOLID
BASIC SOLID




Fire Retardant ● | Standard Range ● | NEW NEW

			
SG/SF 72 ●●	SG/SF 93 ●●	SG/SF 166 ●●	SG/SF 115 ●●
			
SG/SF 110 ●●	SG/SF 314 ●●	SG/SF 165 ●●	SG/SF 315 ●●
			
SG/SF 92 ●●	SG/SF 94 ●●	SG/SF 109 ●●	SG 1186 ●
			
SG/SF 84 ●●	SG/SF 1134 ●●	SG 1182 ●	SG/SF 1188 ●●
			
SG/SF 1192 ●●	SG/SF 1137 ●●	SG/SF 153 ●●	SG/SF 1136 ●●
			
SG/SF 1138 ●●	SG/SF 1191 ●●	SG/SF 1193 ●●	SG/SF 1194 ●●

SOLID
TRENDY SOLID

		
NEW NG/NF 2033 ●●	NEW NG/NF 2034 ●●	NEW NG/NF 2035 ●●
		
NEW NG/NF 2036 ●●		

SOLID
TEXTURE

		
SG/SF 51 ●●	SG/SF 53 ●●	MG/MF 325 ●●
		
SG/SF 105 ●●	SG/SF 270 ●●	TG 403 ●
		
SG/SF 104 ●●	SG 294 ●	

SOFT MATT

표면 특수코팅으로 부드러운 질감과 고급스러운 무광표현이 가능하고 NON-SCRATCH기능과 페인팅 기법을 통해 단색의 편안함을 극대화한 프리미엄 제품입니다.


방염 ● | 비방염 ● | 신제품 NEW




Soft Matt NEW TG/TF 4025 ●●



Soft Matt NEW TG/TF 4028 ●●



Soft Matt TG/TF 4018 ●●



Soft Matt NEW TG/TF 4026 ●●



Soft Matt NEW TG/TF 4029 ●●



Soft Matt NEW TG/TF 4027 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

SOFT MATT

Premium product that allows of smooth texture and luxurious matt display with special coatings on the surface, and maximizes monochromatic comfort through NON-SCRATCH function and painting techniques.


Fire Retardant ● | Standard Range ● | NEW NEW



Soft Matt TG 4024 ●



Soft Matt TG/TF 4021 ●●




Soft Matt TG 4019 ●



Soft Matt TG/TF 4020 ●●



Soft Matt TG/TF 4022 ●●



Soft Matt TG/TF 4023 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

SOLID
EMBOSS PATTERN


방염 ● | 비방염 ● | 신제품 NEW



Emboss Pattern MG/MF 3071 ●●



Emboss Pattern MG/MF 3073 ●●



Emboss Pattern DG/DF 3508 ●●



Emboss Pattern DG/DF 3509 ●●



Painted Wood NG/NF 2026 ●●



Painted Wood NG 2028 ●



Emboss Pattern NG/NF 2029 ●●



Emboss Pattern NG/NF 2030 ●●



Emboss Pattern NG/NF 2031 ●●

SOLID
PEARL WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Pearl Wood MG/MF 3050 ●●



Pearl Wood MG 50 ●



Pearl Wood TG 433 ●



Pearl Wood MG 3051 ●



Pearl Wood MG 466 ●



Pearl Wood MG 496 ●

PAINTED
WOOD

| 비방염 ● | 신제품 **NEW**



MG/MF 3074 ●●




MG/MF 3027 ●●



MG 3032 ●



MG/MF 3075 ●●



MG/MF 3076 ●●

SOLID
PAINTED WOOD




MG



MG



S




N



SG/SF 1150

SOLID
PAINTED WOOD



SG/SF 1129 ●●



SG/SF 1162 ●●



SG/SF 1168 ●●



SG/SF 1161 ●●



SG/SF 1163 ●●



SG/SF 1123 ●●




SG/SF 1160 ●●



SG/SF 1167 ●●



SG/SF 1164 ●●



SG/SF 1202 ●●



SG/SF 1171 ●●



SG/SF 1150 ●●



SG/SF 1153 ●●

SOLID
PAINTED WOOD



MG/MF 3077 ●●



MG/MF 3074 ●●



TG 434 ●



MG/MF 3027 ●●



NG 2017 ●



MG 3032 ●



MG/MF 3026 ●●



MG/MF 3075 ●●



SG/SF 1122 ●●



SG 1124 ●



MG/MF 3076 ●●

방염 ● | 비방염 ● | 신제품 **NEW**


SOLID
PAINTED WOOD




MG/MF 3028 ●●



MG/MF 3033 ●●



MG/MF 3029 ●●




SG/SF 1125 ●●




NG 2019 ●



MG/MF 3034 ●●



SG/SF 1140 ●●



MG/MF 3079 ●●



NG/NF 2018 ●●



SG/SF 1127 ●●




MG 3030 ●

Fire Retardant ● | Standard Range ● | NEW **NEW**


SOLID
PAINTED WOOD



SG/SF 1133 ●●



SG/SF 1139 ●●




SG/SF 1173 ●●



SG/SF 1169 ●●



SG/SF 1130 ●●



SG/SF 1126 ●●



SG/SF 1172 ●●



SG/SF 1157 ●●



SG/SF 1175 ●●



SG/SF 1131 ●●



SG/SF 1158 ●●



SG/SF 1176 ●●



SG/SF 1132 ●●

PREMIUM WOOD

Premium matt are specially designed for surfaces. Soft texture and luxurious matt display.
Through NON-SCRATCH functions and painting techniques, Premium products maximize luxury.

HG/HF 5113

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 **NEW**

손끝으로
만져보세요!

Primary Oak

NEW HG/HF 5113 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
WOOD

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



Primary Oak

NEW HG/HF 5112 ●●



Primary Oak

NEW HG/HF 5114 ●●

PREMIUM MATT
WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Oak

NEW HG/HF 5106 ●●



Oak

NEW HG/HF 5107 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT WOOD

방염 ● | 비방염 ● | 신제품 NEW



Rainy Teak

NEW HG/HF 5108



Rainy Teak

NEW HG/HF 5109

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



HG/HF 5108

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM MATT

WOOD

방염 ● | 비방염 ● | 신제품 NEW



Oak

NEW HG/HF 5110 ●●



Oak

NEW HG/HF 5111 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



HG/HF 5110

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM MATT
WOOD

방염 ● | 비방염 ● | 신제품 NEW



Ash

CG/CF 5503 ●●



Ash

CG/CF 5504 ●●



Ash

CG/CF 5505 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



CG/CF 5505

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM MATT
WOOD

방염 ● | 비방염 ● | 신제품 NEW



Ash

CG/CF 5506 ●●



Ash

CG/CF 5507 ●●



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



CG/CF 5532

The images are for illustrative purposes and may differ from actual product.



Classic Oak

CG/CF 5532 ●●



Classic Oak

CG/CF 5533 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT
WOOD

방염 ● | 비방염 ● | 신제품 NEW



Oak

CG/CF 5516 ●●



Oak

CG/CF 5517 ●●



Oak

CG/CF 5518 ●●

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



The images are for illustrative purposes and may differ from actual product.



Oak

CG/CF 5500 ●●



Oak

CG/CF 5501 ●●



Oak

CG/CF 5502 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT

WOOD

방염 ● | 비방염 ● | 신제품 NEW



CG/CF 5510



Teak

CG/CF 5512 ●●



Teak

CG/CF 5510 ●●



Teak

CG/CF 5511 ●●

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 접착면이 안정화됩니다.

PREMIUM MATT

WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Ash

CG/CF 5513 ●●



Ash

CG/CF 5514 ●●



Ash

CG/CF 5515 ●●



CG/CF 5514

The images are for illustrative purposes and may differ from actual product.

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT
WOOD

방염 ● | 비방염 ● | 신제품 NEW



Pine

CG/CF 5508 ●●



Pine

CG/CF 5509 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



CG/CF 5508

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM MATT
WOOD

방염 ● | 비방염 ● | 신제품 NEW



Standard Oak

CG/CF 5520 ●●



Standard Oak

CG/CF 5521 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Standard Oak

CG/CF 5519 ●●



Standard Oak

CG/CF 5522 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM STONE

MATT STONE has increased surface quality with matt and special coatings felt in real stone. Enhance the dignity of your space with new sensuous products.

HG/HF 5119

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT STONE

방염 ● | 비방염 ● | 신제품 **NEW**

손끝으로
만져보세요!



Brush Cement

NEW HG/HF 5117 ●●



Brush Cement

NEW HG/HF 5118 ●●



Brush Cement

NEW HG/HF 5119 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
STONE

방염 ● | 비방염 ● | 신제품 NEW




상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 접착면이 안정화됩니다.



Matt Marble  NEW HG/HF 5120 ●●



Matt Marble  NEW HG/HF 5121 ●●

PREMIUM MATT
STONE

Fire Retardant ● | Standard Range ● | NEW NEW



Matt Marquina  NEW HG/HF 5122 ●●



Matt Marquina  NEW HG/HF 5123 ●●



The images are for illustrative purposes and may differ from actual product.


※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM MATT
STONE

방염 ● | 비방염 ● | 신제품 NEW



Urban Stone  NEW HG/HF 5115 ●●



Urban Stone  NEW HG/HF 5116 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
STONE

Fire Retardant ● | Standard Range ● | NEW NEW



Travertine  CG/CF 5529 ●●



Travertine  CG/CF 5530 ●●



Travertine  CG/CF 5531 ●●

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

PREMIUM FABRIC

MATT FABRIC is a premium product that provides warmth, softness of a fabric which is on a different level from existing fabrics and a soft texture when touched.



CG/CF 5528

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT FABRIC


방염 ● | 비방염 ● | 신제품 NEW

손끝으로
만져보세요!




Real Fabric

CG/CF 5528 ●●



Real Fabric

CG/CF 5526 ●●



Real Fabric

CG/CF 5527 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
FABRIC

방염 ● | 비방염 ● | 신제품 NEW



Warm Linen

CG/CF 5523 ●●



Warm Linen

CG/CF 5524 ●●



Warm Linen

CG/CF 5525 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.



CG/CF 5525

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

PREMIUM METAL

MATT METAL is a range of products that express the feel of a simple, luxurious metal.
Decorate your space with confidence with MATT METAL, which matches your metallic modern lifestyle.

JG/JF 9000

The images are for illustrative purposes and may differ from actual product.

PREMIUM MATT METAL

방염 ● | 비방염 ● | 신제품 **NEW**

손끝으로
만져보세요!



Blackened Steel (Blue) 

NEW JG/JF 9000 ●●



Blackened Steel (Bronze) 

NEW JG/JF 9001 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
METAL

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Cloud Metal

XG/XF 7015 ●●



Metal Slate

XG/XF 7014 ●●

※ 제품표면이 특수가공 처리된 제품으로 겹침 시공시 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다.

PREMIUM MATT
METAL

Fire Retardant ● | Standard Range ● | NEW NEW



Minimal Cloud

XG/XF 7012 ●●



Matt Solid

XG/XF 7013 ●●



Minimal Cloud

XG/XF 7011 ●●



The images are for illustrative purposes and may differ from actual product.

※ As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time.

METAL

Monochromatic and metallic, these two materials have recently become the most used materials in various spaces, from furniture to art walls and home appliances. Enjoy modern changes that suit your style in a variety of spaces.

HG/HF 5104

XG/XF 7019

The images are for illustrative purposes and may differ from actual product.

METAL

PEARLESCENT METAL

방염 ● | 비방염 ● | 신제품 **NEW**



Rose Gold

NEW HG/HF 5104 ●●



Bronze Metal

NEW XG/XF 7019 ●●

METAL

PEARLESCENT METAL

방염 ● | 비방염 ● | 신제품 NEW



White Gold NEW HG/HF 5100 ●●



Peach Gold NEW HG/HF 5101 ●●



Metal Gold NEW HG/HF 5102 ●●



Champagne Gold NEW HG/HF 5103 ●●



Bronze Gold NEW HG/HF 5105 ●●

METAL

HAIRLINE BRONZE METAL

Fire Retardant ● | Standard Range ● | NEW NEW



Yellow Bronze NEW XG/XF 7016 ●●



Red Bronze NEW XG/XF 7017 ●●



Dark Bronze NEW XG/XF 7018 ●●

METAL


방염 ● | 비방염 ● | 신제품 NEW




Metal MG 124 ●



Metal MG 499 ●



Metal MG/MF 125 ●●



Metal MG/MF 123 ●●




Metal MG 498 ●



Metal MG 3021 ●



Metal MG 3022 ●



Metal MG/MF 448 ●●

METAL

Fire Retardant ● | Standard Range ● | NEW NEW



Saffiano DG 3500 ●



Saffiano DG 3501 ●




Saffiano DG 3504 ●




Saffiano DG 3502 ●



Saffiano DG 3503 ●



Cement Metal TG 4006 ●



Luxury Metal JG 698 ●



Luxury Metal TG/TF 465 ●●



Metal Leaf TG 4004 ●

STONE & MARBLE

Apply a natural (floating) sensibility and original design to your space with colours such as concrete, stone and marble, and three-dimensional embossing. With its unchanging beauty, the stone material blends harmoniously with a variety of textured materials, including metal, matt and light, to add value to the space. Create a more luxurious atmosphere.


YG/YF 4503

MG/MF 984

The images are for illustrative purposes and may differ from actual product.

STONE & MARBLE

방염 ● | 비방염 ● | 신제품 NEW



Aspetto

YG/YF 4503 ●●

STONE & MARBLE

STONE

방염 ● | 비방염 ● | 신제품 NEW



Aspetto YG/YF 4501 ●●



Aspetto YG/YF 4502 ●●



Aspetto YG 4500 ●

STONE & MARBLE

STONE

Fire Retardant ● | Standard Range ● | NEW NEW



Modern Stone MG/MF 3080 ●●



Modern Stone MG/MF 3082 ●●



Modern Concrete MG/MF 3085 ●●



Modern Stone MG/MF 3081 ●●



Modern Stone MG 3083 ●



Concrete TG 4010 ●

STONE & MARBLE

STONE

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Concrete MG 451 ●



Rustic Stone MG 462 ●



Peacock Natural MG 3003 ●

STONE & MARBLE

STONE

Fire Retardant ● | Standard Range ● | NEW NEW



Concrete MG/MF 984 ●●



Concrete MG 985 ●



Concrete MG/MF 986 ●●



Natural Stone PG 6010 ●



Urban Stone MG/MF 485 ●●



Real Stone TG 4014 ●



Sugar Stone SG 855 ●



Bricks NG 968 ●



Matt Marble MG 3058 ●



Peacock Natural MG/MF 3001 ●●

STONE & MARBLE

MARBLE

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Carrara

MG/MF 3054 ●●



Marble

TG 425 ●

STONE & MARBLE

MARBLE

Fire Retardant ● | Standard Range ● | NEW NEW




The images are for illustrative purposes and may differ from actual product.



Marble

MG 445 ●



Marble

MG 446 ●

FABRIC & LEATHER

Add warmth to your space with our range of rich leather materials.
Blend with wood & rattan furniture to create a truly luxurious look and feeling.

DG/DF 3505

The images are for illustrative purposes and may differ from actual product.

FABRIC & LEATHER

FABRIC

방염 ● | 비방염 ● | 신제품 NEW



Plain Linen

DG/DF 3505 ●●



Plain Linen

DG/DF 3506 ●●




Plain Linen

DG/DF 3507 ●●

FABRIC & LEATHER

FABRIC

방염 ● | 비방염 ● | 신제품 NEW



Linen MG/MF 3060 ●●



Linen MG/MF 3061 ●●



Linen MG/MF 3062 ●●



Fabric MG/MF 452 ●●



Fabric MG/MF 453 ●●



Fabric MG/MF 454 ●●



Tweed TG 4000 ●



Natural Fabric MG/MF 455 ●●

FABRIC & LEATHER

LEATHER

Fire Retardant ● | Standard Range ● | NEW NEW



Leather MG 460 ●



Leather TG 410 ●



Square SE 806 ●



Leather TG 4015 ●



Cross Stripe SC 725 ●



Engraving SC 774 ●



Anaconda SP 840 ●

WOOD

From Standard OAK to TEAK and ELM, the various woodgrain designs are the best material to add warmth to the space. Special product such as 'MULTI PRINTING' products express the texture of wood more prominently, and a variety of patterns and colors. S, M, and N series are showing a rich & trendy woodgrain. Choose a product that fits your space.

ZG/ZF 5029

The images are for illustrative purposes and may differ from actual product.

WOOD


MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW



Oak

NEW ZG/ZF 5028 ●●



Oak

NEW ZG/ZF 5029 ●●



Oak

NEW ZG/ZF 5030 ●●

WOOD
MULTI PRINTING WOOD


방염 ● | 비방염 ● | 신제품 NEW



Light Oak NEW ZG/ZF 5038 ●●



Light Oak NEW ZG/ZF 5039 ●●



Light Oak NEW ZG/ZF 5040 ●●



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW



Oak

NEW ZG/ZF 5033 ●●



Oak

NEW ZG/ZF 5034 ●●



Oak

NEW ZG/ZF 5035 ●●



ZG/ZF 5035

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



Washed Ash NEW ZG/ZF 5045 ●●

WOOD

MULTI PRINTING WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Washed Ash NEW ZG/ZF 5041 ●●



Washed Ash NEW ZG/ZF 5044 ●●



Washed Ash NEW ZG/ZF 5042 ●●



Washed Ash NEW ZG/ZF 5043 ●●

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW



Elm NEW ZG/ZF 5036 ●●



Elm NEW ZG/ZF 5037 ●●



Maple NEW ZG/ZF 5031 ●●



Maple NEW ZG/ZF 5032 ●●



Amazahoue NEW EG/EF 6100 ●●



Amazahoue NEW EG/EF 6101 ●●

WOOD

MULTI PRINTING WOOD

Fire Retardant ● | Standard Range ● | NEW NEW



Oak ZG/ZF 5019 ●●



Oak ZG/ZF 5018 ●●



Oak ZG/ZF 5020 ●●



Oak ZG/ZF 5021 ●●



Oak ZG/ZF 5022 ●●



Oak ZG 5027 ●

WOOD

MULTI PRINTING WOOD

방염 ● | 비방염 ● | 신제품 NEW



Multi Print Wood ZG/ZF 5000 ●●



Vintage Oak ZG/ZF 5009 ●●



Multi Print Wood ZG 5003 ●



Vintage Oak ZG/ZF 5010 ●●



Vintage Oak ZG 5011 ●



Vintage Oak ZG/ZF 5012 ●●



Teak ZG/ZF 5015 ●●



Teak ZG/ZF 5016 ●●



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD
M series

방염 ● | 비방염 ● | 신제품 NEW



Ash MG/MF 3084 ●●



Pine MG/MF 3069 ●●



Wizard Grain MG/MF 3064 ●●



Wizard Grain MG/MF 3065 ●●



Wizard Grain MG/MF 3066 ●●



Ash MG 3005 ●



Teak MG 3006 ●



Primary Oak MG/MF 3007 ●●



MG/MF 3084

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

WOOD
N series

방염 ● | 비방염 ● | 신제품 NEW



String Wood NG 402 ●



Sycamore NG 158 ●



Stripe Wood NG/NF 326 ●●



Pearl Ash NG 2010 ●



Oak NG 2006 ●



White Ash NG/NF 2001 ●●



Elm NG 217 ●



Elm NG 218 ●



Pear NG/NF 250 ●●

WOOD
N series

Fire Retardant ● | Standard Range ● | NEW NEW



Birch NG/NF 225 ●●



Oak NG/NF 207 ●●



Vilora NG/NF 284 ●●



Maple NG/NF 388 ●●



Oak NG/NF 2020 ●●



Elm NG/NF 336 ●●



Maple NG/NF 349 ●●



Walnut NG/NF 227 ●●



Oak NG 971 ●

WOOD

N series

방염 ● | 비방염 ● | 신제품 NEW



Oak PG 904 ●



Oak NG/NF 2021 ●●



Oak NG/NF 2022 ●●



Style Bamboo NG 2024 ●



Multi Wood NG 253 ●



Noce NG/NF 03 ●●



Multi Wood NG 256 ●

WOOD

N series

Fire Retardant ● | Standard Range ● | NEW NEW



Oak NG 960 ●



Walnut NG 267 ●



Oak NG 962 ●



Antique Teak NG 493 ●



Antique Pine NG/NF 400 ●●



Golden Teak PG 940 ●

WOOD
S series

방염 ● | 비방염 ● | 신제품 NEW



Antique Wood SG/SF 1107 ●●



Ash SG/SF 179 ●●



Elm SG/SF 81 ●●



Ash SG/SF 1110 ●●



Acacia SG 12 ●




Pine SG/SF 142 ●●



Washed Oak SG/SF 1113 ●●



Ash SG/SF 1100 ●●



Ash SG/SF 178 ●●



Ivy SG 209 ●



Ivy SG 211 ●



Oak SG/SF 361 ●●

WOOD
S series

Fire Retardant ● | Standard Range ● | NEW NEW



Ash SG 140 ●



Pine SG 143 ●



Ash SG/SF 37 ●●



Ash SG/SF 1111 ●●



Ash SG/SF 1112 ●●



Oak SG 171 ●




French Oak SG/SF 30 ●●




Oak SG/SF 82 ●●




Washed Oak SG 1115 ●



Oak SG/SF 40 ●●



Montaigne Walnut SG 385 ●



Ash SG 1116 ●

WOOD
S series

방염 ● | 비방염 ● | 신제품 NEW



상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.



French Oak SG/SF 29 ●●



Oak SG/SF 55 ●●



Oak SG/SF 54 ●●



Teak SG/SF 249 ●●



Ash SG/SF 1102 ●●



Compile Wood SG/SF 282 ●●

WOOD
S series

Fire Retardant ● | Standard Range ● | NEW NEW



Maple SG/SF 20 ●●



Ash SG/SF 1101 ●●



Cherry SG 1118 ●




Sonoma Oak SG/SF 167 ●●



Maple SG/SF 43 ●●



Washed Oak SG/SF 1114 ●●



Teak SG/SF 09 ●●



Ash SG 141 ●



Ash SG/SF 181 ●●



Oak SG 98 ●



Ash SG/SF 177 ●●



Oak SG/SF 189 ●●

WOOD
S series


방염 ● | 비방염 ● | 신제품 NEW



Ash SG/SF 58 ●●




Maple SG/SF 363 ●●



Castagno Oak SG/SF 381 ●●



Maple SG/SF 251 ●●



Oak SG/SF 190 ●●




Akagashi SG/SF 237 ●●




Oak SG/SF 169 ●●




Oak SG/SF 170 ●●




Acacia SG/SF 10 ●●



Oak SG 56 ●



Acacia SG/SF 186 ●●



Compile Wood SG/SF 148 ●●

WOOD
S series


Fire Retardant ● | Standard Range ● | NEW NEW




Cherry SG/SF B1 ●●




Pine SG/SF 44 ●●




Cherry SG/SF 101 ●●




Castagno Oak SG/SF 383 ●●




Cherry SG 26 ●




Cherry SG 23 ●




Cherry SG/SF 31 ●●




Cherry SG 28 ●




Anegre SG/SF 1143 ●●



Walnut SG/SF 89 ●●



Ash SG /SF 1103 ●●



Walnut SG/SF 149 ●●

WOOD

S series

방염 ● | 비방염 ● | 신제품 NEW



Walnut SG/SF 278 ● ●



Walnut SG 61 ●




Antique Wood SG/SF 1109 ● ●



Sapele SG/SF 243 ● ●



Ash SG/SF 164 ● ●



Black Wood SG/SF 52 ● ●



Teak SG/SF 36 ● ●



Antique Wood SG 230 ●



SG/SF 243

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

VERSA-TILE

Versa-tile's Versa means 'a change', 'an Alteration' or 'another one'.
You can create a variety of different looks compared to traditional interior films.
Apply to floors that need maintenance, walls in the kitchen, or art walls.

BG 8007

The images are for illustrative purposes and may differ from actual product.

VERSA-TILE


방염 ● | 비방염 ● | 신제품 **NEW**

Versa-tile은 기존 인테리어 필름의 두께 변경과 바닥재 기능성 추가로 유지 보수가 필요한 바닥, 주방의 벽면 또는 아트월 등 다양한 표현이 필요한 부분에 적용할 수 있도록 제작된 상품입니다.




Carrara

NEW BG 8006 ●




Marquina

NEW BG 8007 ●



Travertine BG 8004 ●



Concrete BG 8003 ●



Herringbone BG 8001 ●



Herringbone BG 8000 ●

ANTI BACTERIA FILM


SOIF에서 개발한 항균인테리어필름으로 더 안전하고 편안한 공간을 연출해 보세요.
항균인테리어필름이 필요한 공간에 적용 가능합니다. 시험성적서에서 항균력(99.9%)을 확인해 보세요.

SOIF ANTI BACTERIA

회색포도상구균 (Staphylococcus aureus)

대장균 (Escherichia coli)

폐렴간균 (Klebsiella pneumoniae)



항균활성 감소율 99.9%

항균인테리어필름은 주문 제작을 통하여 삼성인테리어필름 전 제품에 적용이 가능합니다.



AB 3800



AB 3801



AB 3802



AB 3803



AB 3804



AB 3801

상기 이미지는 이해를 돕기 위한 연출 이미지로 실제 제품과 다를 수 있습니다.

(1) Preparation

- Before applying interior films, the surface condition of where to be applied must be checked for a proper installation.

MDF	Please use densely homogenous MDFs, this enhances adhesion and fire retardant performance.
Iron plate (aluminium,iron, etc.) steel	Remove contaminants such as oil on the surface with solvents such as alcohol, check for damage to the surface due to solvents, treat irregularities and welding areas with filler and remove any foreign matter with wallpaper scrappers, sandpaper etc. and then clean area with lint free cloths and cleaning brushes.
Ready-made products	Depending on the surface condition, the primer must be used to prevent shrinkage and dropout, and the surface must be checked prior to the installation.

- Before intallation, inspection of the product selected by the consumer (product name, pattern, appearance status) must re-check in advance.
- Installation work must be conducted after inspection of all preparation works done, this includes the coating, painting and sealant process of any woodwork or porous substrates.
- For a stable working environment, check the humidity of the construction site and keep the room temperature at (15°C to 25°C) if possible.
- The across section - overlapping area (cutting area) of the surfaces (MDF, etc.) where the film will be applied must be sufficiently cleaned or polished with sandpaper. The condition of the wood surface (particularly the edges) is rough, it must be cleaned or polished with sandpaper or applied after filler treatment.

(2) Primer Treatment

- Apply a sufficient primer to the surface of substrate (MDF, PB, etc.) 1-2 times.
- Since the cutting (slit) surface of wood has a high absorption rate and uneven surfaces, the primer should be fully applied 2-3 times.
- Primers will need approximately 2 hours drying time. It is advised and recommended that you check the substrate and thoroughly dry and clean prior to installation.

(3) Installation Film

- Once the primer surface is dry enough, make the surface smooth and overlappping section is needed to be cleaned with sandpaper and remove residue with a lint free cloth and make sure area is completely dust free.
- Surface treatment by using sandpapers is required and make sure the surface is clean before applying primer to enhance adhesion performance.
- Please make a pressure using by Helt or Hera (Spatula). Rubbing or Hard Pressure may work to stengthen the Adhesion 2 -3 times.
- Apply interior films carefully, not wrapping films forcefully pull over MDF plates, heat or humidity can cause a MDF distortion.

(4) Specific Product Instructions

SC/SE (man-made leather type)
• Do not overlap due to the embossed depth and please apply Solvent Type Primer to press firmly. In order to maximize the visual effect of the product, it is necessary to check the type and condition of the surfaces and remove all residues prior to installation. Do not rub too hard.
SP
• To enlarge the design effect, the film is too soft on the top. Please do not rub too hard.
JG/JF
• JG/JF is specially processed using Alumium, detachment of where film lines are overlapped can cause a peeling of films surfaces. So pay attention at installing
PREMIUM MATT LINE-UPS, SOFT MATT (Soild)
• As being treated with a special process on the surfaces, it feels initially not sticky enough in the overlapped parts, but being fully pressed adhesive parts will be stabilized stronger over time. (Method when contaminated : Wipe with an alkaline alcohol to remove.)

(5) Product Storage and Precautions

- Please avoid moisture and direct sunlight, and please do not use it outdoors.
- The surface may become discolored during prolonged exposure to sunlight or ultraviolet light.
- It is recommended that correct storage temperatures are used for storing the product to be free from long term storage defects. (15°C to 25°C)
- When installing the film, please use manufacturer's recommend products.

- Unauthorized reproduction and use of content published in this sample book is prohibited.
- The colors of the products listed in the samplebook may differ from the actual product.

(1) 사전 준비 작업

- 필름이 시공되는 피착재의 종류와 표면상태를 점검하여 시공 전후 문제 발생 부위를 사전에 점검해야 합니다.

MDF	밀도와 표면상태에 따라 시공 점착력과 방염 성능의 차이가 발생하므로 밀도가 균일한 MDF를 사용하도록 합니다.
철판(알루미늄, 철 등)	알코올 등의 용제로 표면의 기름 등 오염물질을 제거하고, 용제로 인한 면의 손상을 확인 후 요철부위나 용접부위를 퍼티로 처리하고, 샌드페이퍼 등으로 표면 연마를 한 후에 먼지떨이 붓으로 이물질을 제거합니다.
기성제품	표면상태에 따라 프라이머를 사용해야 수축 및 탈락을 방지할 수 있으며, 피착면을 반드시 점검해야 합니다.

- 시공 전 소비자가 선정한 제품의 이상 유무(제품명, 패턴, 외관상태, 방염여부)에 대해 사전검수를 진행해야 합니다.
- 필름시공은 목공사 후 도장 및 도배공정과 협의 후 시행해야 합니다.
- 안정적인 작업환경을 위해 시공현장의 습도를 확인하고, 실내온도를 가급적 상온(15°C~25°C)으로 유지하여 주십시오.
- 필름이 시공될 피착재(MDF 등)의 단면(절단)부위는 샌드페이퍼로 충분히 연마해야 합니다.
- 특히, 목재류의 경우 꺾임부위 및 에지(Edge)부분의 표면상태가 거친 경우에는 샌드페이퍼로 연마하거나 퍼티 처리 후 시공해야 합니다.

(2) 프라이머 처리

- 프라이머 처리시 목재(MDF, PB 등)표면 및 절단면은 흡수율이 높고 면이 고르지 않기 때문에 프라이머를 2~3회 도포합니다.
- 도포 완료 후 충분히 건조하여야 하며, 습한 곳에서는 표면을 반드시 확인 후 시공하여야 합니다.

(3) 시공 방법

- 프라이머 도포면이 충분히 건조되면, 샌드페이퍼로 표면과 단면을 연마한 후 이물질을 먼지떨이나 붓으로 제거합니다.
- 제품 Lot간 색상차이가 발생할 수 있으므로 선 부착제품과 색상확인 후 시공해야 합니다.
- 인테리어필름의 점착면은 샌딩처리가 되어야 하며, 점착력을 보강하기 위해 프라이머를 사용할 수 있습니다.
- 헬트나 헤라를 이용하여 표면이 완전히 밀착되어 접착되도록 충분히 문질러야 하며, 단면인 경우에는 2~3회 강한 힘으로 압착해야 합니다.
- 인테리어필름은 제품 특성상 고온의 열 또는 MDF의 수축으로 인한 제품 수축이 발생할 수 있으므로 무리하게 당기거나 열에 주의하여 시공하여야 합니다.

(4) 특정제품 시공 유의사항

SC/SE (인조가죽 타입)
• 겹침시공시 엠보깊이 및 표면처리층으로 인해 박리 우려가 있으므로 겹침시공을 하지 마십시오. • 부득이한 겹침시공시 반드시 유성프라이머 처리 후 시공해야 들뜸현상을 막을 수 있습니다. • 제품의 표면부위가 약하므로 시공시 강하게 문지르면 표면에 손상우려가 있으니 작업시 주의하시기 바랍니다.
SP
• 디자인 효과로 인하여 표면부위가 소프트하므로 시공시 강하게 문지르면 표면에 손상 우려가 있으므로 주의하시기 바랍니다.
JG/JF
• 알루미늄을 이용한 특수한 공법의 제품으로 겹침시공 부위의 필름간의 탈착으로 인하여 표면층의 박리현상이 발생할 수 있으므로 시공시 주의하시기 바랍니다.
프리미엄 매트코팅 제품군, 소프트 매트 (단색)
• 제품표면이 특수가공 처리된 제품으로, 겹침 시공시 적당한 힘으로 부드럽게 충분히 눌러주어 완전히 압착시킵니다. 잘 붙지 않는 느낌이 있으나 충분히 눌러주어 압착되면 시간이 지날수록 점착면이 안정화됩니다. (오염되었을때 방법 : 알칼리성 알코올로 닦아서 제거)

(5) 제품 보관 및 주의사항

- 습기와 직사광선을 피해 시공해 주시고, 옥외에는 사용하지 말아 주십시오.
- 태양광이나 자외선에 장시간 노출시 표면이 변색되는 경우가 있을 수 있습니다.
- 제품포장 해제 후 오래 보관할 경우 제품표면의 크랙현상 및 점착력 약화가 있을 수 있으니 주의하시기 바랍니다.
- 필름 시공시 프라이머는 SOIF 전용 프라이머를 사용해야 합니다.

- 본 샘플북에 게재된 내용의 무단 복제 및 사용을 금지합니다.
- 수록된 제품의 색상은 실제 제품과 차이가 있을 수 있습니다.

WHERE IS ART
THERE IS
SOIF

SOIF
G L O B A L

GET IT ON
Google Play



www.samsungfilm.co.kr



본 사 서울특별시 강서구 개화길8 (개화동)
공 장 경기도 포천시 영종면 영일로 215-6

(주)삼성인테리어필름